

## X2200 Model Matrix

MODEL	DESCRIPTION
<b>X2200</b>	UV Flame Detector
<b>X2200M<sup>+</sup></b>	UV Flame Detector w/Molybdenum Tube
TYPE	MATERIAL
<b>A</b>	Aluminum
<b>S</b>	Stainless Steel (316)
TYPE	THREAD TYPE
<b>3M</b>	3 Port, Metric M25
<b>3N</b>	3 Port, 3/4" NPT
<b>4M</b>	4 Port, Metric M25
<b>4N</b>	4 Port, 3/4" NPT
TYPE	OUTPUTS
<b>11</b>	Relay
<b>13</b>	Relay and 4-20 mA
<b>14</b>	Eagle Quantum Premier
<b>24</b>	Eagle Quantum
<b>15</b>	Relay and Pulse
<b>16</b>	Addressable Module Only (third-party type)
<b>33</b>	Relay and 4-20 mA / NTSC (xWatch)
<b>34</b>	Eagle Quantum Premier / NTSC (xWatch)
<b>43</b>	Relay and 4-20 mA / PAL (xWatch)
<b>44</b>	Eagle Quantum Premier / PAL (xWatch)
TYPE	APPROVAL AGENCY
<b>W</b>	FM/CSA/CENELEC/CE
<b>A</b>	FM/CSA
<b>R</b>	VNIIP0/VNIIFTRI (RUSSIA)
<b>U</b>	TCCExEE/UKRCEPRO (UKRAINE)
TYPE	CLASSIFICATION*
<b>1</b>	Division/Zone EEx de
<b>2</b>	Division/Zone EEx d

\*Special Application - consult factory before ordering.

\*Detectors are always Class I, Div. 1. See Manual.